



नीलकण्ठ बहुमुखी क्याम्पस

नीलकण्ठ नगरपालिका वडा नं ३, धादिङवेशी

सिसिक्यामेरा जडान कार्यको लागि शिलवन्दी दरभाउपत्र आह्वानको

सूचना

प्रथम पटक प्रकाशित मिति २०८२/१०/०७

सूचना नम्बर २/२०८२/०८३

यस क्याम्पसको लागि तपसिलमा उल्लेखित विशेषतायुक्त CC-Camera जडान कार्य गर्नुपरेकाले इच्छुक व्यक्ति, फर्म, संस्था, कम्पनी वा निर्माता कम्पनीका अधिकृत विक्रेताहरुबाट तपसिल बमोजिमका शर्तहरुको अधिनमा रही उक्त सामानहरु के कति दरमा उपलब्ध गराउन सकिन्छ, यो सूचना प्रथम पटक प्रकाशन भएको मितिले १५ दिन भित्र रितपूर्वकको शिलवन्दी दरभाउ पत्र यस क्याम्पसमा पेश गर्न हुन आह्वान गरिन्छ ।

S.N.	Specification	Piece/Pkts/Drum
2 MP ColourVu Fixed DOME Network Camera	Brand: Hikvision High Quality Imaging with 2 MP Resolution Support Human and Vehicle Detection Smart Hybrid Light: advanced technology with long range Built in microphone for real time audio security water and dust resistant (IP67) Efficient H.265+ Compression technology	41 Pieces
4 MP Smart Hybrid Light Fixed Bullet Network Camera	Brand: Hikvision High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Hybrid Light: advanced technology with long range Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) Built-in microphone for real-time audio security Water and dust resistant (IP67)	4 Pieces
64-Channel 4K NVR	Brand: Hikvision H.265+/H.265/H.264+/H.264 video formats Up to 64-ch IP camera inputs Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity Up to 400 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth 2 HDMI and 1 VGA interfaces, 8K or dual 4K video outputs	1 Piece
POE Switch (16 Port)	Brand: Hikvision 16 x 10/100 Base-TX Ethernet ports IEEE 802.3at/af PoE Compliant PoE power budget 135W 4 kV Surge Protection IEEE 802.3x Flow Control Support 7.2 Gbps Switching Fabric 2.75 M bits RAM Data Buffer All-metal construction Intelligent PoE Management. When the power supply exceeds the limit, PoE ports intelligently manage the power supply, which extends the switch lifetime. Up to 300 m Long Range PoE Transmission. The distance between IPCs and switch can reach maximum 300 meters.	2 Pieces

	4/8-Core Adaptive Power Supply with Less Power Loss. 8-core power supply reduces the power loss on cables. 6KV Surge Protection to Improve Reliability in Harsh Environment. The built-in surge protection device protects the switch from the sudden lightning surge in harsh environment. Design for Video Transmission. VIP port ensures important data transmission when network congestion occurs. One 10/100/1000 Base-T Ethernet port and one 10/100/1000 Base-X SFP optical module port 13 inch length and 1 U standard height size allow it to be mounted on sub rack Support four network modes: Priority, Standard, Isolate and Extend	
Outdoor Cat 6	Brand: Hikvision Category: CAT6, 23 AWG solid bare copper Shielding: F/UTP (Foil Shielded) – outdoor/indoor dual-use Jacket: UV-resistant PE for outdoor; moisture & abrasion resistant Bandwidth: 250 MHz, supports 10/100/1000 Mbps & up to 10 Gbps Conductor: Solid copper, high-performance low-loss Compliance: ANSI/TIA-568, ISO/IEC standards Suitable for CCTV, networking, PoE/PoE+ stable transmission	2 Drum
8-Port PoE Switch	Brand: Hikvision 8 x 10/100 Mbps Auto-MDIX Ports PoE power budget 58W 4 kV Surge Protection IEEE 802.3x Flow Control Support 1.8 Gbps Switching Fabric 1.25M bits RAM Data Buffer Sturdy Metal Enclosure Intelligent PoE Management. When the power supply exceeds the limit, PoE ports intelligently manage the power supply, which extends the switch lifetime. Up to 300 m Long Range PoE Transmission. The distance between IPCs and switch can reach maximum 300 meters. 4/8-Core Adaptive Power Supply with Less Power Loss. 8-core power supply reduces the power loss on cables. 6KV Surge Protection to Improve Reliability in Harsh Environment. The built-in surge protection device protects the switch from the sudden lightning surge in harsh environment. Design for Video Transmission. VIP port ensures important data transmission when network congestion occurs.	2 Pieces
8 Port Giga Switch	Brand: Hikvision 8 x 10/100 Mbps ethernet ports Supports ADI/ADIX Store-and-forward switching Supports MAC address auto-learning and aging Simple, compact body design Supports desktop and wall-mounting Plug & play, easy to use.	2 Pieces
43-inch 4K TV	Screen Size - 43 Inch Smart - Yes Sleek Design Display Resolution - 4K UHD Google Certified Android TV Operation System - Android	1 Pieces

	Two-Way Bluetooth Connectivity: 2 - USB, 2 - HDMI, AV In, Wi-Fi, Bluetooth 1 GB RAM, 8 GB Internal Storage	
Rack	2U Wall-Mount Rack	5 Pieces
Rj 45	Rj Jack - (Golden, Standard Class)	2 Pkts
Other Accessories	Listrik 32mm, Power Socket, Power cable etc.	As Per Need
Installation & Service Charge		As Per Need
Any Equivalent or Superior Product meeting the technical specification shall be acceptable)		
Warranty: Minimum 1 Years Manufacturer Warranty and 1 year Service Warranty		

अन्य सर्तहरू

१. दरभाउ पत्र दस्तुर वापतको रकम रु १,००० (अक्षरेपी रुपैया एक हजार मात्र) फिर्ता नहुने गरि बुझाई सूचना प्रकाशित भएको मितिले माथि उल्लेखित म्यादभित्र यस क्याम्पसको लेखा/प्रशासन शाखाबाट विहान ६ देखि १० बजेभित्र दरभाउ पत्र खरिद गर्न सकिने छ ।
२. खरिद गरिएको दरभाउ पत्र प्रथम पटक सूचना प्रकाशित भएको मितिले १५ औं दिनको दिउसो ३ बजेसम्म क्याम्पसमा दर्ता गराइसक्नुपर्नेछ ।
३. दरभाउ पत्रको साथमा नविकरण भएको इजाजत पत्र, आयकर दर्ता/मूल्य अभिवृद्धि कर दर्ता र आ व २०८१/०८२ को करचुक्ता प्रमाणपत्रको प्रमाणित प्रतिलिपि पेश गर्नुपर्नेछ ।
४. म्याद भित्र दर्ता भएका दरभाउ पत्र सूचना प्रकाशित भएको मितिले १५ औं दिनको दिउसो ३:३० बजे दरभाउ पत्र पेश गर्ने व्यक्ति फर्म वा तिनका प्रतिनिधिहरुको रोहबरमा खोलिनेछ । दरभाउ पत्रदाताहरुको प्रतिनिधि उपस्थित नभएपनि दरभाउ पत्र खोल्न बाधा पर्ने छैन ।
५. दरभाउपत्र दाताले दरभाउ पत्रमा मूल्य अभिवृद्धि कर सहितको दररेट उल्लेख गर्नु पर्नेछ । अंक र अक्षर फरक परेमा अक्षरलाई मान्यता दिइनेछ । केरमेट भएको ठाउँमा दरभाउ पत्र दाताको सहीछाप अनिवार्य हुनु पर्नेछ ।
६. दरभाउपत्र बुझाउने अन्तिम दिन र दरभाउपत्र खोल्ने दिन सार्वजनिक विदा परेमा त्यसको लगत्तै क्याम्पस खुलेको दिनलाई अन्तिम दिन र खोल्ने दिन मानिने छ ।
७. यस क्याम्पसको हितलाई ध्यानमा राखि दरभाउपत्र स्वीकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार यस क्याम्पसमा रहनेछ ।
८. सबै सामग्रीहरुको दरभाउपत्र पेश गर्ने फर्मलाई प्राथमिकता दिइनेछ ।
९. दरभाउ पत्र स्वीकृत भएपछि सम्झौता गर्नुअगावै कार्यसम्पादन जमानत (पछि फिर्ता हुने) वापत दरभाउपत्र दाताले कबोल अंकको ५ प्रतिशत रकम जमानत पेश गर्नुपर्नेछ । जमानत रकम यस क्याम्पसको खातामा (खाता नम्बर १०३०१०००००४४७००१) नगदै जम्मा गरेको भौचर अथवा 'क' वर्गको बैंकले यस क्याम्पसको नाममा जारी गरेको न्यूनतम ३ महिनाको बैंक जमानत (बैंक ग्यारेन्टी) मान्य हुनेछ ।
१०. शिलवन्दी दरभाउपत्रको कागजात पेश गर्दा खाममा प्रष्टसंग कार्यालयको नाम, दरभाउपत्र सूचना नम्बर, कामको विवरण तथा दरभाउपत्र दाताको नाम ठेगाना सहितको विवरण खुलाइ शिलवन्दी गरिएको हुनुपर्नेछ ।
११. म्याद नाघि आएको, रीत नपुगेको र सर्त राखिएको दरभाउपत्र उपर कुनै कारवाही गरिने छैन ।

क्याम्पस प्रमुख
नीलकण्ठ बहुमुखी क्याम्पस, धादिङ
थप जानकारीको लागि सम्पर्क ०१०५२०३६९, ९८५११३५६१०